



Differentiated service delivery (DSD) in 2020

Responding to the needs of people living with HIV before, during and after 2 COVID-19

Utilizing the Network of HIV Positives in Sierra Leone (NETHIPS) for DSD during COVID-19

Idrissa D.M. Songo NETHIPS



Impact of COVID-19 on DSD in Sierra Leone

Positive Impact

- Establishment of functional
 Community ART Groups (CAG)
 - Increased treatment uptake and adherence thus reducing defaulting
 - Communities able to reach harder-to-reach people
 - Improved early detection and quick response
- 3 multi-month dispensing (MMD) for all recipients of care

Negative Impact

- Without adequate preparation,
 MMD could lead to drug stock
 outs (community-led monitoring)
- Many clients fear visiting facilities for services, perceiving them to be fertile ground for COVID-19 infection
- Essential HIV services suspended (e.g. viral load and early infant diagnosis testing)
- Shortage of second line treatment and pediatric ARV
- Lack of food during total lockdown
 negatively affects ARV uptake



Community Adherence Groups (CAGs) Key Principles of CAGs

- 6-10 member groups of stable recipients of care on ART, from a community in the same geographic location
- With support from the National AIDS Control Program (NACP), group members perform community-based delivery of medications, provide adherence support and monitor treatment outcomes
- One member of the group collects medications for all members
- Expert clients measure weight and conduct symptom-based general health assessments for other members
- Peer support is provided during drug distribution
- CAGs promote treatment adherence amongst peers
- CAGs serve as a link between the community and the health care setting, including raising awareness on COVID-19 infection prevention & control measures



Physical distancing + Community Adherence Groups









What's next? Where to from here

- NACP to take lead in coordinating the implementation of the DSD in Sierra Leone as per DSD policy
- Communities to be fully involved in the roll out and the implementation of the activities
- Drop in centers/ wellness centers to be equipped and empowered to carry out essential HIV Services in order to decongest the Health Facilities

Prioritized studies:

- Prevalence of HIV and COVID-19 co-morbidity
- Effect of COVID-19 on adherence to ART

